

# Principles of Software Construction: Objects, Design, and Concurrency

## **{Static & Dynamic} x {Typing & Analysis}**

**Christian Kästner    Vincent Hellendoorn**



# Quiz

<https://rb.gy/ql0x0m>



# How Do You Find Bugs?

```
private static int getValue(Integer i) {  
    return i.intValue();  
}
```

# How Do You Find Bugs?

- Run it?

```
public class Fails {  
    public static void main(String[] args) {  
        getValue(i: null);  
    }  
  
    private static int getValue(Integer i) {  
        return i.intValue();  
    }  
}
```

Exception in thread "main" java.lang.[NullPointerException](#) Create breakpoint : Cannot invoke "java.lang.Integer.intValue()" because "i" is null  
at misc.Fails.getValue([Fails.java:9](#))  
at misc.Fails.main([Fails.java:5](#))

# How Else Do You Find Bugs?

```
public class Fails {  
    public static void main(String[] args) {  
        getValue(0);  
    }  
  
    private static int getValue(Integer i) {  
        return i.intValue();  
    }  
}
```

# Static Analysis

IntelliJ can look at this code and say:

```
public static void main(String[] args) {  
    getValue(i: null);  
}
```

Passing 'null' argument to parameter annotated as @NotNull

```
private static int getValue(Integer i) {  
    return i.intValue();  
}
```

# Static Analysis

How?

```
public static void main(String[] args) {  
    getValue(i: null);  
}  
  
private static int getValue(Integer i) {  
    return i.intValue();  
}
```

Passing 'null' argument to parameter annotated as @NotNull

# Static Analysis

How?

- We know at *compile time* where `getValue` gets routed to
- `getValue` calls a method on `i`
- `i` can be `null`

```
public static void main(String[] args) {  
    getValue(i: null);  
}
```

Passing 'null' argument to parameter annotated as @NotNull

```
private static int getValue(Integer i) {  
    return i.intValue();  
}
```



# Static Analysis

How about JS?

fails.js

```
function getValue(x) {  
    return x.valueOf();  
}
```

# Static Analysis

Run it: ✓

JS fails.js > ...

```
1  function getValue(x) {  
2    |    return x.valueOf();  
3  }  
4  
5  console.log(getValue("32"));  
6  console.log(getValue(null));
```

PROBLEMS

3

OUTPUT

TERMINAL

DEBUG CONSOLE

```
    return x.valueOf();  
           ^
```

TypeError: Cannot read property 'valueOf' of null

# Static Analysis

Why no warning?

```
function getValue(x) {  
    return x.valueOf();  
}
```

```
console.log(getValue("32"));  
console.log(getValue(null));
```


# Another Java vs JS Example

```
class Foo {  
    constructor(x) {  
        this.x = x;  
    }  
}
```

```
function bar(foo) {  
    return foo.x;  
}
```

```
var foo = new Foo(3);  
console.log(bar(foo));  
console.log(bar(3));
```

```
class Foo {  
    int x;  
    Foo(int x) {  
        this.x = x;  
    }  
}
```

```
  
public static void main(String[] args) {  
    Foo foo = new Foo(x: 3);  
    bar(foo);  
    bar(foo: 3);  
}
```

```
private static void bar(Foo foo) {  
    System.out.println(foo.x);  
}
```

# Static vs. Dynamic Typing

- The more knowledge we inject in the code, the more bugs we can catch at compile time
  - Types, nullity annotations, invariants
- At compile-time:
  - Dynamically typed languages assume nothing
    - Types exist only for *values*
  - Static typing is not completely precise either
    - Objects have declared types and run-time types
    - Different “strength” type systems

# Static vs. Dynamic Typing

- The more knowledge we inject in the code, the more bugs we can catch at compile time
  - Types, nullity annotations, invariants
- Is it worth it?
  - Dynamic typing can severely limit inference
  - But... static types are a lot of work

# Static vs. Dynamic Typing

- The more knowledge we inject in the code, the more bugs we can catch at compile time
  - Types, nullity annotations, invariants
- Is it worth it?
  - Dynamic typing can severely limit inference
  - But... static types are a lot of work

## Do Static Type Systems Improve the Maintainability of Software Systems? An Empirical Study

Sebastian Kleinschmager,  
Stefan Hanenberg  
University of Duisburg-Essen  
Essen, Germany  
sebastian.kleinschmager@stud.uni-due.de  
stefan.hanenberg@icb.uni-due.de


Romain Robbes,  
Éric Tanter  
Computer Science Dept (DCC)  
University of Chile, Chile  
rrobbes@dcc.uchile.cl  
etanter@dcc.uchile.cl

Andreas Stefik  
Department of Computer Science  
Southern Illinois University Edwardsville  
Edwardsville, IL

# Static vs. Dynamic Typing

Okay, but:

Top languages over the years






# False Dichotomy?

Yes, but:

Top languages over the years



# Partial Types

- Low effort, some utility
  - Static types exist and are checked at compile-time
  - Dynamic types are used at run-time
    - So annotations get ignored!
  - Type checker can be shallow or deep; TS is shallow

## To Type or Not to Type: Quantifying Detectable Bugs in JavaScript

Zheng Gao  
University College London  
London, UK  
z.gao.12@ucl.ac.uk

Christian Bird  
Microsoft Research  
Redmond, USA  
cbird@microsoft.com

Earl T. Barr  
University College London  
London, UK  
e.barr@ucl.ac.uk

*Abstract*—JavaScript is growing explosively and is now used in large mature projects even outside the web domain. JavaScript is also a dynamically typed language. To invest in static type

# Types in TypeScript

```
function getValue(x: number) {  
    return x.valueOf();  
}
```

Argument of type 'null' is not assignable to parameter of type 'number'. ts(2345)

[View Problem](#) No quick fixes available

```
console.log(getValue(null));
```

# Types in TypeScript

```
function getValue(x: number | null) {  
    return x.valueOf();  
}
```

Object is possibly 'null'. ts(2531)

(parameter) x: number | null

[View Problem](#) No quick fixes available

```
console.log(getValue(null));
```

# Step Back

- Why do we care about types so much?

# Step Back

- Why do we care about types so much?
  - We care about *common mistakes*
  - Type errors happen to be very common
  - What else is common?

# Step Back

- Why do we care about types so much?
  - We care about *common mistakes*
  - Type errors happen to be very common
  - What else is common?
    - Nullity errors
    - Missing imports
    - ```
public void forward(String sender) {  
    if (sender == "me") {  
        sendSelf();  
    } else if (sender == "other") {
```


# Static Analysis

- Detect real or plausible bugs based on code patterns
  - Plausible: look for risk-prone areas
    - Deeply nested loops
    - Overly general types (e.g., 'any' in TS)
    - Dead code/unused variables
    - Any other places we often make mistakes?




# Static Analysis

- How?
  - Program analysis + Vocabulary of patterns




# Static Analysis

- Step 1: Tokenization
  - Tokens are like the words of software
  - *Lexical* categories, incl. punctuation, identifiers, operators, strings




# Static Analysis

- Step 2: Parsing
  - To the compiler/interpreter, software is a tree
  - Root node is file/module
  - Leaves mainly identifiers, literals
  - Internal nodes capture *structure*




Consider checking out: <https://ast.carlosroso.com/>



# Static Analysis


- Step 2: Parsing
  - What does this get us?
    - Syntactic types (variables, method calls)
    - Dead code, deep nesting
  - Rich structure
    - Syntactic types (variables, method calls)
    - Dead code, deep nesting
  - A lot of type resolution
    - What vars are stored, loaded
    - Not complete!
    - Need to *build* to understand imports



# Static Analysis

- Step 2b: Advanced Analysis
  - The compiler doesn't stop at parsing
  - Familiar?

```
public boolean div(int a, int z) {  
    int x = 5;  
    if (a <= 1) {  
        x = a - 1;  
    }  
    return z / x;  
}
```



# Static Analysis

- Step 2b: Advanced Analysis
  - The compiler doesn't stop at parsing
  - There is a lot more down this rabbit hole
    - Control/data-flow, abstract interpretation, (dynamic) symbolic execution,
  - Consider a Programming Languages or Compilers course

# Static Analysis

- Step 3: register analyzers
  - At the core: walk the tree

```
class ListDefinitionChecker(BaseChecker):  
    msg = "usage of 'list()' detected, use '[]' instead"  
  
    def visit_Call(self, node):  
        name = getattr(node.func, "id", None)  
        if name and name == list.__name__ and not node.args:  
            self.violations.append((self.filename, node.lineno, self.msg))
```

# Static Analysis

- Step 3: register analyzers
  - At the core: walk the tree
  - Sometimes more complex

```
class UnusedImportChecker(BaseChecker):
    def __init__(self):
        self.import_map = defaultdict(set)
        self.name_map = defaultdict(set)

    def _add_imports(self, node):
        for import_name in node.names:
            # Store only top-level module name ("os.path" -> "os").
            # We can't easily detect when "os.path" is used.
            name = import_name.name.partition(".")[0]
            self.import_map[self.filename].add((name, node.lineno))

    def visit_Import(self, node):
        self._add_imports(node)

    def visit_ImportFrom(self, node):
        self._add_imports(node)

    def visit_Name(self, node):
        # We only add those nodes for which a value is being read from.
        if isinstance(node.ctx, ast.Load):
            self.name_map[self.filename].add(node.id)
```



# Static Analysis

- Compared to Linters:
  - Linters mainly enforce style -- comments, quotes, idioms
    - This also requires static analysis! Just nothing particularly fancy
  - Some overlap; good conventions help avoid bugs

# Static Analysis

- Compared to Parsers:
  - Parsers check for syntactic correctness
    - Can catch bugs as well, e.g. missing “;”
  - Parsing is often a key step in static analysis
    - Hard to do right with just text/regexes.
  - Parsing is a platform for further analyses
    - control-flow, data-flow

# So... Static Analysis for Everything?

- Can we find every bug?

- No! Rice's Theorem

"Any nontrivial property about the language recognized by a Turing machine is undecidable." -- Henry Gordon Rice, 1953

- Every static analysis is necessarily incomplete or unsound or undecidable (or multiple of these)

# So... Static Analysis for Everything?

- Can we find every bug?
- Can we guarantee correctness?

# So... Static Analysis for Everything?

- Can we find every bug?
- Can we guarantee correctness?
  - Yes, but... much less useful

```
public class Fails {  
    public static void main(String[] args) {  
        getValue(i: null);  
    }  
  
    private static int getValue(Integer i) {  
        return i.intValue();  
    }  
}
```

# Soundness & Precision


- Since we can't perfectly analyze behavior statically
  - We may miss things by being cautious (unsound; false negative)
  - We might identify non-problems (imprecision, false positive)



Program state covered in actual execution



Program state covered by abstract execution with analysis



# The Social Side

- How to deploy tools that are neither sound nor complete?

# Static Analysis at Google

- Centered around FindBugs (succeeded by SpotBugs)
  - Essentially, a huge collection of risky patterns on Java bytecode
  - Annotated with five levels of concern

CONTRIBUTED ARTICLES

## Lessons from Building Static Analysis Tools at Google

By Caitlin Sadowski, Edward Aftandilian, Alex Eagle, Liam Miller-Cushon, Ciera Jaspan  
Communications of the ACM, April 2018, Vol. 61 No. 4, Pages 58-66  
10.1145/3188720

[Comments](#)

VIEW AS:      SHARE:       

Software bugs cost developers and software companies...



FindBugs™

SIGN IN for F

User Name

Password

» Forgot Password



# Static Analysis at Google

- Three experiments in the early 2000s:
  1. **A dashboard:** run FindBugs overnight, report results in a centralized location  
*Failed because:* dashboard is outside the developer's workflow

# Static Analysis at Google

- Three experiments in the early 2000s:
  1. **A dashboard:** run FindBugs overnight, report results in a centralized location  
*Failed because:* dashboard is outside the developer's workflow
  2. **Recurring FixIt events:** company-wide one-week effort to fix warnings  
*Failed because:* actually fixed some bugs, but FindBugs is too imprecise (44% of issues were “bugs”, but only 16% mattered)

# Static Analysis at Google

- Three experiments in the early 2000s:
  1. **A dashboard:** run FindBugs overnight, report results in a centralized location  
*Failed because:* dashboard is outside the developer's workflow
  2. **Recurring FixIt events:** company-wide one-week effort to fix warnings  
*Failed because:* actually fixed some bugs, but FindBugs is too imprecise (44% of issues were “bugs”, but only 16% mattered)
  3. **Add to Code Review:** run on every change, allow toggling warnings  
*Failed because:* too imprecise; suppressing FPs made it inconsistent

# Static Analysis at Google

Okay so then what?

- What went wrong / what do we need?

# Static Analysis at Google

Okay so then what?

- What went wrong / what do we need?
  1. Precision is key -- developers lose faith in inaccurate tools
  2. Provide timely warnings -- in-IDE or rapidly on builds
    - a. Checkers are way more useful during coding
  3. Make a platform -- allow adding useful checks

# Static Analysis at Google

Specifically:

- At compile-time:
  - Perfectly Precise
    - **No** false-positives; never halt a build incorrectly
  - Simple
  - Actionable
    - Ideally to the point of auto-fix suggestions

# Static Analysis at Google

Specifically:

- At review time: TriCoder
  - 90%+ precise
    - If it drops below, checker gets disabled! Onus on checker authors to fix
  - Actionable, but may require some work
  - Improve correctness or code quality
  - Some compile-time checks moved to review-time!
- Ran 50K times per day -- in 2018

# TriCoder

```
package com.google.devtools.staticanalysis;
```

```
public class Test {
```

▼ **Lint** Missing a Javadoc comment.

Java  
1:02 AM, Aug 21

[Please fix](#)

[Not useful](#)

```
public boolean foo() {  
    return getString() == "foo".toString();  
}
```

▼ **ErrorProne** String comparison using reference equality instead of value equality  
(see <http://code.google.com/p/error-prone/wiki/StringEquality>)

StringEquality  
1:03 AM, Aug 21

[Please fix](#)

//depot/google3/java/com/google/devtools/staticanalysis/Test.java

```
package com.google.devtools.staticanalysis;
```

```
public class Test {  
    public boolean foo() {  
        return getString() == "foo".toString();  
    }  
}
```

```
    public String getString() {  
        return new String("foo");  
    }  
}
```

```
package com.google.devtools.staticanalysis;
```

```
import java.util.Objects;
```

```
public class Test {  
    public boolean foo() {  
        return Objects.equals(getString(), "foo".toString());  
    }  
}
```

```
    public String getString() {  
        return new String("foo");  
    }  
}
```



# Static Analysis at Google

- The gist: Many simple precise checks
  - What else could one do?


# Static Analysis at Google

- The gist: Many simple precise checks
  - What else could one do?
- Infer at Facebook
  - Built around separation logic; geared heavily towards tracking resources
    - Null-pointer dereferences, resource leaks, unintended data access
  - Google claims this won't (easily) scale to their multi-billion line mono-repo



# Static Analysis at Google

- The gist: Many simple precise checks
  - What else could one do?
- Use AI?
  - Rule-mining from previous reviews
    - Detects typical vulnerabilities, bad patterns
  - Mostly fairly simple ML (details limited)



# Static Analysis at Google

- The gist: Many simple precise checks
  - What else could one do?
- Use AI?
  - Microsoft's IntelliSense in VSCode
  - Mostly refactorings, code completions
  - Trained on large volumes of code

# Static Analysis at Google

- The gist: Many simple precise checks
  - What else could one do?
- Use AI?
  - Shameless plug: AI is rapidly learning to program. If this interests you, come do research with me :)



# Summary

- We all constantly make mistakes
  - Static analysis captures common issues
  - Choose suitable abstractions; consider trade-offs
    - E.g., dynamic vs. static typing; sound vs. precise
- At big-tech-scale, automated checks are key
  - Help normalize coding standards
  - Even rare bugs are common at scale
  - But: social factors are very important

# HW6 Feedback

<https://rb.gy/itzmja>

